



2013 CALGREEN RESIDENTIAL CHECKLIST

MANDATORY ITEMS

COMMUNITY DEVELOPMENT DEPARTMENT – BUILDING DIVISION
 KIRK BALLARD, BUILDING OFFICIAL
 ONE NORTH SAN ANTONIO ROAD • LOS ALTOS, CA 94022-3088
 (650) 947-2752 • FAX (650) 947-2734 • WWW.LOSALTOSCA.GOV

PURPOSE:

The 2013 CALGreen Code applies to all newly constructed hotels, motels, lodging houses, dwellings, dormitories, condominiums, shelters, congregate residences, employee housing, factory-built housing and other types of dwellings with sleeping accommodations and new accessory buildings associated with such uses. This section also applies to additions and alterations where there is an increase in conditioned space and specifies that these requirements only apply to the specific area of the addition or alteration. Existing site and landscaping improvements that are not otherwise disturbed are not subject to the requirements of CALgreen.

Project Name: _____

Project Address: _____

Project Description: _____

Instructions:

1. The owner or owner's agent shall employ a licensed qualified green building professional experienced with the 2013 California Green Building Standards Codes to verify and assure that all required work described herein is properly planned and implemented in the project.
2. The licensed professional, in collaboration with the owner and the design professional shall review **Column 2** of this checklist, sign and date **Section 1 –Design Verification** at the end of this checklist, and have the checklist printed on the approved plans for the project.
3. **PRIOR TO FINAL INSPECTION BY THE BUILDING DEPARTMENT**, the licensed professional shall complete Column 3 and sign and Date **Section 2 – Implementation Verification** at the end of this checklist and submit the completed form to the Building Department.

MANDATORY FEATURE OR MEASURE	COLUMN 2	COLUMN 3
	Project Requirements	Verification
<u>Planning and Design</u>		
Site Development		
4.106.2 A plan is developed and implemented to manage storm water drainage during construction.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.106.3 Construction plans shall indicate how site grading or a drainage system will manage all surface water flows to keep water from entering buildings.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
General		
4.201.1 Building meets or exceeds the requirements of the <i>California Building Energy Efficiency Standards</i> ³ .	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Water Efficiency and Conservation</u>		
Indoor Water Use		
4.303.1. Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) installed in residential buildings shall comply with the prescriptive requirements of Sections 4.303.1.1 through 4.303.1.4.4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.303.2 Plumbing fixtures and fittings required in Section 4.303.1 shall be installed in accordance with the <i>California Plumbing Code</i> , and shall meet the applicable referenced standards.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Outdoor Water Use		
4.304.1 Automatic irrigation systems controllers installed at the time of final inspection shall be weather or soil moisture-based.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Material Conservation and Resource Efficiency</u>		
Enhanced Durability and Reduced Maintenance		
4.406.1 Annular spaces around pipes, electric cables, conduits or other openings in plates at exterior walls shall be protected against the passage of rodents by closing such openings with cement mortar, concrete masonry or similar method acceptable to the enforcing agency.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Construction Waste Reduction, Disposal and Recycling		
4.408.1 Recycle and/or salvage for reuse a minimum of 50 percent of the nonhazardous construction and demolition waste in accordance with one of the following: 1. Comply with a more stringent local construction and demolition waste management ordinance; or 2. A construction waste management plan per Section 4.408.2; or 3. A waste management company per Section 4.408.3; or 4. The waste stream reduction alternative per Section 4.408.4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Building Maintenance and Operation		
4.410.1 An operation and maintenance manual shall be provided to the building occupant or owner.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>ENVIRONMENTAL QUALITY</u>		
Fireplaces		
4.503.1 Any installed gas fireplace shall be a direct-vent sealed-combustion type. Any installed woodstove or pellet stove shall comply with US EPA Phase II emission limits where applicable. Woodstoves, pellet stoves, fireplaces shall also comply with applicable local ordinances.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Pollutant Control		
4.504.1 Duct openings and other related air distribution component openings shall be covered during construction.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.504.2.1 Adhesives, sealants and caulks shall be compliant with VOC and other toxic compound limits.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.504.2.2 Paints, stains and other coatings shall be compliant with VOC limits.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.504.2.3 Aerosol paints and coatings shall be compliant with product weighted MIR limits for ROC and other toxic compounds.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.504.2.4 Documentation shall be provided to verify that compliant VOC limit finish materials have been used.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.504.3 Carpet and carpet systems shall be compliant with VOC limits.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.504.4 80 percent of floor area receiving resilient flooring shall comply with the VOC-emission limits defined in the Collaborative for High Performance Schools (CHPS) High Performance Products Database or be certified under the Resilient Floor Covering Institute (RFCI) FloorScore program; or meet California Dept. of Public Health, "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions from Indoor Sources Using Environmental Chambers", Version 1.1, February 2010 (also known as Specification 01350.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.504.5 Particleboard, medium density fiberboard (MDF) and hardwood plywood used in interior finish systems shall comply with low formaldehyde emission standards.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior Moisture Control		
4.505.2 Vapor retarder and capillary break is installed at slab on-grade foundations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4.505.3 Moisture content of building materials used in wall and floor framing is checked before enclosure.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Environmental Comfort		
4.507.2 Duct systems are sized, designed, and equipment is selected using the following methods: 1. Establish heat loss and heat gain values according to ANSI/ACCA 2 Manual J-2004 or equivalent. 2. Size duct systems according to ANSI/ACCA 1 Manual D-2009 or equivalent. 3. Select heating and cooling equipment according to ANSI/ACCA 3 Manual S-2004 or equivalent.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Installer and Special Inspector Qualifications

Qualifications

702.1 HVAC system installers are trained and certified in the proper installation of HVAC systems.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
702.2 Special inspectors employed by the enforcing agency must be qualified and able to demonstrate competence in the discipline they are inspecting.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Verifications

703.1 Verification of compliance with this code may include construction documents, plans, specifications builder or installer certification, inspection reports, or other methods acceptable to the enforcing agency which show substantial conformance	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

1. Green building measures listed in this table may be mandatory if adopted by a city, county, or city and county as specified in Section 101.7
2. Required prerequisite for this Tier.
3. These measures are currently required elsewhere in statute or in regulation

CALGREEN SIGNATURE DECLARATIONS

Project Name: _____

Project Address: _____

Project Description: _____

SECTION 1 – DESIGN VERIFICATION

Complete all lines of Section 1 – “Design Verification” and **SUBMIT THE ENTIRE CHECKLIST (COLUMNS 2 AND 3) WITH THE PLANS AND BUILDING PERMIT APPLICATION TO THE BUILDING DEPARTMENT.**

The owner and design professional responsible for compliance with CalGreen Standards have reviewed the plans and certify that the items checked above are hereby incorporated into the project plans and will be implemented into the project in accordance with the requirements set forth in the 2013 California Green Building Standards Code as adopted by the City of Los Altos.

Owner's Signature Date

Owner's Name (Please Print)

Design Professional's Signature Date

Design Professional's Name (Please Print)

Signature of Green Point Rater Date

Name of Green Point Rater (Please Print) Phone No.

Email Address for Green Point Rater License No.

SECTION 2 – IMPLEMENTATION VERIFICATION

Complete, sign and submit the completed checklist, including column 3, together with all original signatures on Section 2 to the Building Department **PRIOR TO BUILDING DEPARTMENT FINAL INSPECTION.**

I have inspected the work and have received sufficient documentation to verify and certify that the project identified above was constructed in accordance with this Green Building Checklist and in accordance with the requirements of the 2013 California Green Building Standards Code as adopted by the City of Los Altos.

Signature of Licensed Green Point Rater Date

Name of Licensed Green Point Rater (Please Print) Phone No.

Email address for Licensed Green Point Rater License No.